PUBLIC EVENT PERMIT APPLICATION

City of Somerville, Commonwealth of Massachusetts
Application #: PEL17-000145
File #: 17-014193

Organization name: Frances Fisher

Description: Potluck BBQ to bring neighbors together.

Will put grills and tables in middle of the street.

Date(s): Sunday, September 10, 2017

Setup starts at (time): 3:30pm

Cleanup after the event ends at (time): 6:30pm

Attendees:

Max attendance at one time: 40

Maximum attendees accommodated: 80

Attendee fees or suggested donations: none

Social or cultural benefits:

Neighborhood cohesion. Students, new families and long

time residents get to socialize.

Event name: 5th Annual Ossipee Block Party

Location: 56 OSSIPEE RD Small portion of the block of

Ossipee starting at Packard up toward Curtis.

Rain date(s): 09/17/17

Event starts at (time): 4:00pm

Event ends at (time): 6:00pm

Total people attending: 60

Total Somerville residents attending: 60

What is your budget for this event: None.

Financial benefits:

None.

Event Information	Yes/No	If yes, Describe
Food served?	Yes	potluck. participants will bring something to share.
Alcohol served?	No	
Grill/open-flame device used?	Yes	personal grills will be used to cook some of the food.
Streets blocked?	Yes	One quarter of Ossipee Rd from Packard up towards Curtis
Sidewalks blocked?	No	
Arrangements:		
Auxiliary Police?	No	
Police Detail:	No	
Parking (for Attendees)?	No	
Restrooms?	No	
Liability Insurance?	No	
Will any public parks be used?	No	
Has the event occurred in the last two years?	Yes	9/25/16, 9/20/15

Approval Conditions:

Reviewer: John J. Long, City Clerk, Complete

Reviewer: CS Mayor, Mayor's Office, Approved

Reviewer: Scott Whalen, Police, Approved

Reviewer: CS Traffic and Parking, Traffic and Parking, Approved

Reviewer: Christine Morin, Public Works, Approved

Reviewer: CS Fire, Fire Prevention, Approved with Conditions

1. When using grills they should be kept out of pedestrian traffic and children running. Grills should be supervised at all times when in use. Solid fuel grills require proper extinguishment and removal of hot ash.

Reviewer: John J. Long, City Clerk, Approved