



CITY OF SOMERVILLE
Commonwealth of Massachusetts
93 Highland Avenue
Somerville, MA 02143
(617) 625-6600

BUSINESS LICENSE APPLICATION - Small Wireless Facility

File #: 21-001918

License #: BL21-000016

Address: 299 303 MEDFORD ST

Licensee: Derek Maheux Centerline Communications

DBA Name: Verizon Wireless

Business Ownership Type: Partnership / LLP

Legal Name of Entity: Cellco Partnership d/b/a Verizon Wireless

Owners/Officers: , , ,

License Information:

Do you believe this to be a 6409(a) application?: Don't Know

Describe the reason for the work, and the intended beneficiaries: The proposed small cell installation will enhance network capacity and coverage and bring improved wireless service to Somerville and the immediately surrounding area.

Provide the detailed description of the work that should appear on the License: Proposed installation of a small cell wireless facility on an existing Eversource utility pole

of installations on existing poles: 1

of installations on new poles: 0

Provide the legal name of the entity that will own the License: Cellco Partnership d/b/a Verizon Wireless

Approval Conditions:

Approved By:

Hans Jensen, Approved

Karla Cuarezma, Approved

Malik Drayton, Approved with Conditions

APPROVAL CONDITION: MD20210225: Contractor shall take all necessary precautions to avoid damaging any tree or tree part with equipment.

APPROVAL CONDITION: MD20210225: All nearby street tree(s) shall be protected prior to and during all construction activities using TREE BOX or TREE WRAPS. . TREE BOX shall be constructed from 2 in. x 4 in. lumber creating a box around the border of the tree pit with 2 in. x 4 in. lumber standing straight up at the corners and wrapped with orange snow fence. Detail attached. . TREE WRAPS

(TREE TRUNK WRAPPING PROTECTION LUMBER) shall consist of 2 in. x 4 in. and 8 ft. height lumber wired together in close spacing with zip ties or 16 gauge galvanized steel wire to form a protective enclosure around tree trunks. Use burlap to separate the wood from the bark if necessary to prevent wood from scraping or bruising bark. Do not use staples or puncture the trunk in any way.

APPROVAL CONDITION: MD20210225: Any tree roots less than two (2) inches in diameter that cannot be avoided during construction shall be carefully and cleanly cut with a clean pair of pruning shears or loppers. Roots are to be cut back flush with the edge of the trench. If any tree roots greater than two (2) inches in diameter are encountered, stop work immediately and contact the City Urban Forester. Any and all pruning of roots greater than 2 inches in diameter must be completed under the supervision of the City Urban Forester.

John Power, Approved with Conditions

Electrical Review approved, conditional upon electrical permit application/approval for scope of work.

Mark Lawhorne, Approved

John J. Long, Approved

118 Flanders Road
Third Floor
Westborough, MA 01851

Sean Conway
Principal Engineer

February 10, 2021

City of Somerville City Council
c/o City Clerk's Office
93 Highland Avenue
Somerville, MA 02143

Re: Verizon Application for Small Wireless Facilities ("SWF")

Dear City Clerk and City Council Members:

Enclosed please find the application of Cellco Partnership d/b/a Verizon Wireless ("Verizon") for approval to install SWF on existing wooden utility poles within Somerville's public right of way at the following locations:

Site Name	Address	Pole #
BOS_SOM_032_MA	299 Medford Street	unmarked
BOS_SOM_034_MA	434 McGrath Highway	unmarked
BOS_SOM_060_MA	53 Concord Avenue	112/3
BOS_SOM_061_MA	40 Marion Street	221/5
BOS_SOM_072_MA	15 Ivaloo Street	BECO1179/ VZ179/1
BOS_SOM_076_MA	2 Belmont Street	unmarked
BOS_SOM_086_MA	40 Bow Street	unmarked

Consistent with the City Clerk's proposed fees for a SWF license approved by the City Council on July 11, 2019, Verizon shall submit a New License Fee of \$100.00 per installation upon approval of each location included in the application. Under the City's Ordinance Relative to Small Wireless Facilities in the Public Rights-of-Way ("Ordinance"), Section 12-144(a), no public hearing is required.

Included within the application are a set of plans for each proposed location along with a structural analysis for each existing utility pole as well as a license granted from the pole owner (Eversource) to Verizon to install the SWF at each proposed location. Additionally, we have included a compliance letter along with a diagram which shows that each proposed antenna array is more than fifteen (15) feet from a residence's window, door opening, porch or balcony as required by the City's Design Standards for Small Wireless Facilities Placement in the Public Right-of-Way ("Design Standards"). Further, as described in detail below, Verizon respectfully requests a waiver of two (2) dimensional requirements in the Ordinance that materially inhibit Verizon's ability to provide 5G services in Somerville.

Request For Waiver

Under the City's Design Standards, an applicant may request a waiver of any of the requirements in the Ordinance or Design Standards as long as the applicant "specif[ies] those provisions for which it seeks a waiver, and . . . include[s] specific explanations as to the need for waiver of each, including an explanation of why compliance with the requirement(s) would prohibit or effectively prohibit the provision of services as protected by applicable law." This provision acts as a "safety valve" that recognizes that advanced network equipment, including the equipment used for



5G, is evolving and subject to changes over time. Without this safety valve, restrictive dimensional requirements would act as an effective prohibition of wireless services in violation of Federal Communications Commission requirements.

- Waiver Request #1: Verizon requests that the City waive the requirement in Section 12-148(e) of the Ordinance that requires that “antennas shall be limited to snug-mount, canister-mount, and concealed . . . with a diameter of no more than six inches greater than the diameter of the [top of the] pole.” It is not technically feasible to comply with the canister requirement because use of such a canister would make the antenna ineffective. Simply put, while Verizon’s 5G antennas meet the “snug-mount” requirement, the antennas are not able to be located within canisters. Unlike 4G antennas, which are often referred to as “cantennas” due to their shape, Verizon’s panel 5G antennas are not contained within canisters. Each individual antenna in the array has a height of 19.3”, width of 11” and depth of 7.9”. It is important to note that even if Verizon were able to deploy such a canister around the antenna array, the size of the resulting structure would exceed the 3 cubic foot requirement called for in the Ordinance. Additionally, a canister surrounding the antenna array could potentially interfere with transmission of Ultra-Wide-Band (UWB) 5G signals which can be blocked by nearby surfaces.

Similarly, the 5G equipment being proposed by Verizon slightly exceeds the requirement that a pole-top antenna diameter be no more than 6” greater the diameter of the top of the pole. The Verizon 5G equipment exceeds the pole top diameter by approximately 8” rather 6”. This minor exception is warranted because the overall design proposed by Verizon (that does not include a canister) also eliminates the need to install fan that is required for cooling the equipment that is in a canister. The use of fans, and the resulting noise from the fans, is discouraged by the Ordinance in residential areas. In fact, the use of fans and their noise was a big part of the discussion when the City Council was developing the Ordinance. Finally, the small increase of diameter in array allows for the proper promulgation of the UWB 5G signal unique to the Verizon UWB 5G service. Attached to this letter is a diagram showing the proposed 5G SWF antenna array in detail. This design is used by Verizon in all Massachusetts 5G communities, including Boston, Arlington, Malden and Cambridge.

- Waiver Request #2: Verizon requests that the City waive the requirement in Section 12-148(d) of the Ordinance that requires that “[p]ole-mounted equipment minimum heights to the bottom of the equipment shall be 15 feet above sidewalk elevation.” As shown in the detailed plans included with this application, the lowest piece of equipment associated with the SWF facility (i.e., the “load center”) is located at a height of 10 feet above sidewalk elevation. It is not technically feasible to locate the load center at 15 feet height or higher because it is the utility pole owner (in this case, Eversource), that establishes SWF equipment height based on the electrical equipment and other attachments already on the pole. Moreover, the load center (also known as a “disconnect box”) contains the switch that can be accessed by emergency personnel to shut off power to the antenna in an emergency and must be able to be accessed by emergency personnel. In discussions with City personnel on September 22, 2020 and October 6, 2020, it is Verizon’s understanding that the City is in agreement with this waiver request.

Taken as a whole, Verizon’s waiver requests allow for the use of smaller equipment that will emit less noise because it eliminates the need for fans and uses existing utility poles for the placement of 5G equipment. All of these benefits are part of the language and intent of the Ordinance and Design Standards. Without granting of these waiver requests, Verizon’s ability to provide 5G in Somerville would be materially inhibited and would constitute an effective prohibition. For all these reasons, Verizon respectfully requests that the City grant its waiver requests and approve the SWF applications contained herein.



Respectfully Submitted,

Sean Conway

Sean Conway
Principal Engineer
(508) 320-2017


Attachment

ATTACHMENT



APPROX. NORTH

1 ANTENNA PLAN
SCALE: N.T.S.



2 ANTENNA MOUNTING DETAIL
N.T.S.

**POLE UNMARKED, 299 MEDFORD STREET, SOMERVILLE, MA 02143
BOS SOM 032 MA**

LEASE EXHIBIT



CHECKED BY: JK
APPROVED BY: DPH



NO.	DATE	DESCRIPTION	BY
2	10/27/20	ISSUED AND CANCELLED	OS
1	03/02/20	ISSUED FOR COMMENTS	SF
0	01/29/19	ISSUE EXHIBIT	OS

SITE NAME:
BOS SOM 032 MA

SITE ADDRESS:
POLE UNMARKED
299 MEDFORD STREET
SOMERVILLE, MA 02143

SHEET TITLE
KEY PLAN

SHEET NUMBER
L-1




PRESIDING POWER COMPANY
EVERSOURCE

SITE COORDINATES:
LAT: N42° 23' 09.24"±
LONG: W71° 05' 37.47"±
LAT: N42° 38.5929"±
LONG: W71° 05.9751"±
APPROXIMATE GROUND ELEVATION: 67.0'± AMSL

FIELD INSPECTION DATE: 01-11-2019
CONFIDENTIAL AND PROPRIETARY MATERIALS FOR AUTHORIZED VERIZON PERSONNEL AND OUTSIDE AGENCIES ONLY. USE, DISCLOSURE OR REPRODUCTION OF THIS INFORMATION IS NOT PERMITTED TO ANY UNAUTHORIZED PERSONS OR THIRD PARTIES EXCEPT BY WRITTEN AGREEMENT.

KEY PLAN
SCALE: N.T.S.
1
L-1



- NOTES:
- NORTH ARROW SHOWN AS APPROXIMATE.
 - SOME EXISTING AND PROPOSED INFORMATION NOT SHOWN FOR CLARITY.
 - THIS DOCUMENT IS FOR LEASING PURPOSES ONLY. NOT FOR CONSTRUCTION.
 - FIBER & POWER TO COME FROM EXISTING UTILITY POLE (I.B.D.).

LEASE EXHIBIT

LEASE EXHIBIT:
THIS LEASE PLAN IS DIAGRAMATIC IN NATURE AND IS INTENDED TO SHOW THE GENERAL LOCATION AND APPROXIMATE SIZES OF THE PROPOSED WIRELESS COMMUNICATION FACILITY. THE SITE LAYOUT WILL BE FINALIZED UPON COMPLETION OF SITE SURVEY AND FACILITY DESIGN.

STRUCTURAL NOTE:
AN ANALYSIS OF THE CAPACITY OF THE EXISTING TOWER AND THE PROPOSED WIRELESS COMMUNICATION FACILITY HAS NOT BEEN COMPLETED BY HUDSON DESIGN GROUP, LLC. DRAWINGS ARE SUBJECT TO CHANGE PENDING OUTCOME OF A STRUCTURAL ANALYSIS.

SITE COORDINATES:
LAT: N42° 23' 08.34"±
LONG: W71° 05' 37.47"±
LAT: N42° 38.59293"±
LONG: W71° 09.37751"±
APPROXIMATE GROUND ELEVATION: 67.0± AMSL



CHECKED BY:	JX
APPROVED BY:	DPH


SUBMITTALS	
REV	DESCRIPTION
0	18/79/19 LEASE EXHIBIT
1	10/22/20 REVISION PER COMMENTS
2	06/27/20 REVISION PER COMMENTS

SITE NAME:
BOS SOM 032 MA

SITE ADDRESS:
POLE UNMARKED
299 MEDFORD STREET
SOMERVILLE, MA 02145

SHEET TITLE:
ELEVATION & PHOTO

SHEET NUMBER:
L-2




1
L-2

ELEVATION
20x34 SCALE: 3/8"=1'-0"
11x17 SCALE: 3/16"=1'-0"

LEASE EXHIBIT
(NOT FOR CONSTRUCTION)



2
L-2
EXISTING PHOTO DETAIL
SCALE: N.T.S.




LEASE EXHIBIT

LEASE EXHIBIT:
THIS LEASE PLAN IS DIAGRAMATIC IN NATURE AND IS INTENDED TO PROVIDE GENERAL INFORMATION AS TO THE LOCATION AND SIZE OF THE PROPOSED WIRELESS COMMUNICATION FACILITY. THE SITE LAYOUT WILL BE FINALIZED UPON COMPLETION OF SITE SURVEY AND FACILITY DESIGN.

STRUCTURAL NOTE:
AN ANALYSIS OF THE CAPACITY OF THE EXISTING STRUCTURE TO SUPPORT THE PROPOSED LOADING HAS NOT BEEN COMPLETED BY HUDSON DESIGN GROUP LLC. DRAWINGS ARE SUBJECT TO DESIGN GROUP'S PENDING OUTCOME OF A STRUCTURAL ANALYSIS.




POLE PLAN:
22x34 SCALE: 3/4"=1'-0"
11x17 SCALE: 3/8"=1'-0"




ANTENNA MOUNT DETAIL 3 L-3
SCALE: N.T.S.

NOTES:
1. CONFIRM DOWNTILT REQUIREMENTS (IF ANY) AND AZIMUTH SPECIFICATIONS WITH "RF" ENGINEER AT TIME OF CONSTRUCTION.
2. MOUNT SHALL BE INSTALLED IN SUCH A WAY TO ENSURE PLUMB INSTALLATION OF PIPE MAST.
3. EXISTING UTILITY POLE APPURTENANCES NOT SHOWN FOR CLARITY.



TYPICAL ANTENNA 2 L-3
DIMENSIONS: 7.9'X11.0'X19.5'H
WEIGHT: 300# LBS

LEASE EXHIBIT
(NOT FOR CONSTRUCTION)



GENERAL WIRING DIAGRAM 4 L-3
SCALE: N.T.S.

CHECKED BY: JJK
APPROVED BY: DPH

REV	DATE	DESCRIPTION	BY
2	08/21/20	REVISION FOR OTHER LOCATION	DS
1	03/22/20	REVISION PER COMMENTS	SF
0	01/29/19	ISSUE EXHIBIT	DS

SITE NAME:
BOS SOM 032 MA

SITE ADDRESS:
POLE UNMARKED
295 MEDFORD STREET
SOMERVILLE, MA 02143

EQUIPMENT DETAILS

SHEET NUMBER
L-3

STRUCTURAL ANALYSIS REPORT

For

BOS SOM 032 MA

299 Medford Street
Somerville, MA 02143

Equipment Mounted on Utility Pole



Prepared for:

verizon

118 Flanders Road
Westborough, MA 01581

Dated: March 17, 2020

HGD | **HUDSON**
Design Group LLC

45 Beechwood Drive
North Andover, MA 01845
Phone: (978) 557-5553
www.hudsondesigngroupllc.com





SCOPE OF WORK:

Hudson Design Group LLC (HDG) has been authorized by Verizon to conduct a structural evaluation of the existing utility pole supporting the proposed Verizon equipment.

This report represents this office's findings, conclusions and recommendations pertaining to the support of the proposed Verizon equipment listed below.

This office conducted an on-site visual survey of the above areas on March 3, 2020. Attendees included Sam Foley (HDG – CAD Designer).

CONCLUSION SUMMARY:

Based on our evaluation, we have determined that the existing pole **is in conformance** with the National Electric Safety Code 2017 (NESC). The light pole structure is rated at 70.7%.

APPURTENANCES CONFIGURATION:

Appurtenances	Elev	Mount
(3) Typical Antennas	28'-0"	Side of Wood Pole
(1) Demarc Box	13'-3"	Side of Wood Pole
(1) Disconnect Switch	10'-6"	Side of Wood Pole

ANALYSIS RESULTS SUMMARY:

Component	Max. Stress Ratio	Elev. of Component (ft)	Pass/Fail
SYP 3 (Existing)	70.7%	0 – 38.0	PASS



DESIGN CRITERIA:

National Electric Safety Code 2017 (NESC) and the Massachusetts State Building Code 9 th Edition.		
Wind		
City/Town:	Somerville	
County:	Middlesex	
NESC Rule	Rule 250B	NESC Section 25
Construction Grade	C	NESC Section 25
Wind Load:	39.53 mph	NESC Table 230-2
Ice		
Loading District	Heavy	NESC Figure 250-1
Radial Ice Thickness:	0.50 in	NESC Table 230-1

1. Approximate height above grade to center of the proposed Antenna: 28'-0" +/-

***Calculations and referenced documents are attached.**



HUDSON
Design Group LLC

EXISTING STRUCTURE:

The existing 38.0' +/- wood pole is assumed to be Southern Yellow Pine Class 3 (Fb=8000 psi) with a 12.0" diameter base. If field conditions differ from what is assumed in this report, then the engineer of record is to be notified as soon as possible.

ANTENNA SUPPORT RECOMMENDATIONS:

The new antennas are proposed to be installed on a side mount kit secured to the wood pole using thru bolts.

EQUIPMENT SUPPORT RECOMMENDATIONS:

The new equipment is proposed to be installed on the wood pole using the approved manufacturer's mounts.

Limitations and assumptions:

1. Reference the latest HDG construction drawings for all the equipment locations details.
2. Mount all equipment per manufacturer's specifications.
3. All structural members and their connections are assumed to be in good condition and are free from defects with no deterioration to its member capacities. Contractor to perform pre-inspection prior to construction.
4. All antennas and waveguide cables are assumed to be properly installed and supported as per the manufacturer requirements.
5. HDG is not responsible for any modifications completed prior to and hereafter which HDG was not directly involved.
6. If field conditions differ from what is assumed in this report, then the engineer of record is to be notified as soon as possible.
7. HDG did not perform any geotechnical analysis / or / investigation. Soil Information is unknown.



HUDSON
Design Group LLC

FIELD PHOTOS:





Photo 1: Sample photo illustrating the existing wood pole.



HUDSON
Design Group LLC

Calculations

Pole Num: Pole Unmarked Pole Length / Class: 45 / 3 Code: NESCS Structure Type: Unguyed Tangent
Pole Number: Pole Unmarked Species: SOUTHERN PINE NESCRule: Rule 250B Status Unguyed
Site Name: BOS SOM 032 MA Setting Depth (ft): 7.0 Construction Grade: C Pole Strength Factor: 0.85
Address: 299 Medford Street G/L Circumference (in): 37.13 Loading District: Heavy Transverse Wind LF: 1.75
Town, State: Somerville, MA G/L Fiber Stress (psi): 8,000 Ice Thickness (in): 0.50 Wire Tension LF: 1.00
Zip Code: 02143 Allowable Stress (psi): 6,800 Wind Speed (mph): 39.53 Vertical LF: 1.90
Designed by: RL Fiber Stress Ht. Reduc: No Wind Pressure (psf): 4.00
Latitude: 42.385929° N **Longitude:** 71.093751° W **Elevation:** 67'



Pole Capacity Utilization (%)	Height (ft)	Wind Angle (deg)
Maximum	70.7	300.7
Groundline	70.7	300.7
Vertical	13.3	300.7

Pole Moments (ft-lb)	Load Angle (deg)	Wind Angle (deg)
Max Cap Util	64,363	300.7
Groundline	64,363	300.7
GL Allowable	91,831	

Groundline Load Summary - Reporting Angle Mode: Load - Reporting Angle: 343.1°

	Shear Load* (lbs)	Applied Load (%)	Bending Moment (ft-lb)	Applied Moment (%)	Pole Capacity (%)	Bending Stress (+/- psi)	Vertical Load (lbs)	Vertical Stress (psi)	Total Stress (psi)	Pole Capacity (%)
Powers	871	38.4	31,784	49.4	34.6	2,343	621	6	2,349	34.5
Comms	1,032	45.5	25,963	40.3	28.3	1,914	1,021	9	1,923	28.3
GenericEquipments	158	7.0	2,128	3.3	2.3	157	420	4	161	2.4
Pole	157	6.9	3,008	4.7	3.3	222	2,204	20	242	3.6
Crossarms	17	0.7	628	1.0	0.7	46	201	2	48	0.7
SpanAdditions	1	0.1	33	0.1	0.0	2	12	0	3	0.0
Risers	26	1.2	585	0.9	0.6	43	64	1	44	0.6
Insulators	6	0.3	233	0.4	0.3	17	154	1	19	0.3
Pole Load	2,267	100.0	64,363	100.0	70.1	4,744	4,696	43	4,787	70.4
Pole Reserve Capacity			27,468		29.9	2,056			2,013	29.6

Load Summary by Owner - Reporting Angle Mode: Load - Reporting Angle: 343.1°

	Shear Load* (lbs)	Applied Load (%)	Bending Moment (ft-lb)	Applied Moment (%)	Pole Capacity (%)	Bending Stress (+/- psi)	Vertical Load (lbs)	Vertical Stress (psi)	Total Stress (psi)	Pole Capacity (%)
Existing	2,035	89.8	59,813	92.9	65.1	4,409	2,085	19	4,428	65.1
Proposed	75	3.3	1,541	2.4	1.7	114	408	4	117	1.7
Pole	157	6.9	3,008	4.7	3.3	222	2,204	20	242	3.6
Totals:	2,267	100.0	64,363	100.0	70.1	4,744	4,696	43	4,787	70.4

Detailed Load Components:

Power	Owner	Height (ft)	Horiz. Offset (in)	Cable Diameter (in)	Sag at Max Temp (ft)	Cable Weight (lbs/ft)	Lead/Span Length (ft)	Span Angle (deg)	Wire Length (ft)	Tension (lbs)	Tension Moment* (ft-lb)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	15.00	0.3980	1.62	0.115	54.6	198.4	238	-7,401	-23	481	-6,944
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	15.00	0.3980	2.76	0.115	95.0	15.5	396	12,778	-40	765	13,502
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	36.00	0.3980	1.62	0.115	54.6	198.4	238	-7,401	55	481	-6,865
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	36.00	0.3980	2.76	0.115	95.0	15.5	396	12,778	96	765	13,639
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	36.00	0.3980	1.62	0.115	54.6	198.4	238	-7,401	-55	481	-6,976
Primary	AAAC 123.3 KCM AZUSA	Existing	38.19	36.00	0.3980	2.76	0.115	95.0	15.5	396	12,778	-96	765	13,446

Secondary	DUPLEX 1/0	Existing	33.45	6.43	0.9540	0.260	54.6	198.4	54.6	12	218	230	
Secondary	DUPLEX 1/0	Existing	33.55	6.43	0.9540	0.260	54.6	198.4	54.6	12	219	231	
Secondary	DUPLEX 1/0	Existing	33.45	6.43	0.9540	0.260	95.0	15.5	95.1	21	347	368	
Secondary	DUPLEX 1/0	Existing	33.55	6.43	0.9540	0.260	95.0	15.5	95.1	21	348	369	
Overlashed Bundle	10M	Existing	33.50	6.43	0.3060	0.95	54.6	198.4	54.6	11	520	-26,881	
Overlashed Bundle	10M	Existing	33.50	6.43	0.3060	1.96	95.0	15.5	95.1	18	827	37,520	
Totals:										25,392	31	6,217	31,640

Comm	Owner	Height (ft)	Horiz. Offset (in)	Cable Diameter (in)	Sag at Max Temp (ft)	Cable Weight (lbs/ft)	Lead/Span Length (ft)	Span Angle (deg)	Wire Length (ft)	Tension (lbs)	Tension Moment* (ft-lb)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at Gl.* (ft-lb)
Overlashed Bundle	Existing	25.40	6.91	0.3060	0.85	0.165	54.6	198.4	54.6	1,584	-32,826	8	340	-32,478
Teico	Existing	25.34	6.91	1.0000		0.400	54.6	198.4	54.6				12	111
Teico	Existing	25.40	6.28	1.0000		0.400	54.6	198.4	54.6				12	111
Teico	Existing	25.46	6.91	1.0000		0.400	54.6	198.4	54.6				12	112
Teico	Existing	25.40	7.55	1.0000		0.400	54.6	198.4	54.6				12	111
Overlashed Bundle	Existing	25.40	6.91	0.3060	1.80	0.165	95.0	15.5	95.1	2,046	43,892	15	541	44,448
Teico	Existing	25.34	6.91	1.0000		0.400	95.0	15.5	95.1				21	177
Teico	Existing	25.40	6.30	1.0000		0.400	95.0	15.5	95.1				21	177
Teico	Existing	25.46	6.91	1.0000		0.400	95.0	15.5	95.1				21	178
Teico	Existing	25.40	7.53	1.0000		0.400	95.0	15.5	95.1				21	177
Overlashed Bundle	Existing	24.10	6.98	0.3060	0.85	0.165	54.6	198.4	54.6	1,584	-31,146	8	323	-30,815
Teico	Existing	24.04	6.98	1.0000		0.400	54.6	198.4	54.6				12	105
Teico	Existing	24.10	6.36	1.0000		0.400	54.6	198.4	54.6				12	106
Fiber	Existing	24.16	6.98	1.0000		0.400	54.6	198.4	54.6				12	106
Fiber	Existing	24.10	7.62	1.0000		0.400	54.6	198.4	54.6				12	106
Overlashed Bundle	Existing	24.10	6.98	0.3060	1.80	0.165	95.0	15.5	95.1	2,046	41,646	15	513	42,174
Teico	Existing	24.04	6.98	1.0000		0.400	95.0	15.5	95.1				21	168
Teico	Existing	24.10	6.37	1.0000		0.400	95.0	15.5	95.1				21	168
Fiber	Existing	24.16	6.98	1.0000		0.400	95.0	15.5	95.1				21	169
Fiber	Existing	24.10	7.61	1.0000		0.400	95.0	15.5	95.1				21	168
Totals:										21,565	312	3,967	25,845	

GenericEquipment	Owner	Height (ft)	Horiz. Offset (in)	Offset Angle (deg)	Rotate Angle (deg)	Unit Weight (lbs)	Unit Height (in)	Unit Depth (in)	Unit Diameter (in)	Unit Length (in)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at Gl.* (ft-lb)
Box	Verizon Fiber Demarc	13.25	6.83	285.0	0.0	3.00	12.30	3.40	--	3.00	2	29	31
Box	Disconnect Switch	10.50	7.39	285.0	0.0	17.00	12.60	4.20	--	8.80	11	56	67
Cylinder	Side Mount Kit	28.00	11.70	105.0	0.0	10.00	20.00	--	2.90	--	-10	58	49
Box	connection	28.33	6.25	105.0	0.0	10.00	4.00	8.00	--	4.00	-5	34	29
Box	connection 2	28.00	15.69	146.8	0.0	4.00	3.20	18.00	--	1.60	-10	-6	-15
Cylinder	Pipe 2-1/2	28.00	26.14	146.8	0.0	10.00	20.00	--	2.90	--	-40	58	19
Box	Antenna	28.00	31.54	146.8	0.0	38.00	19.30	7.90	--	11.00	-182	358	176

Box	connection 2	28.00	15.69	63.2	0.0	4.00	3.20	18.00	--	1.60	2	103	105
Cylinder	Pipe 2-1/2	28.00	26.14	63.2	0.0	10.00	20.00	--	2.90	--	7	58	65
Box	Antenna	28.00	31.54	63.2	0.0	38.00	19.30	7.90	--	11.00	32	233	266
Box	connection	27.67	6.25	105.0	0.0	10.00	4.00	8.00	--	4.00	-5	34	29
Box	connection 2	28.00	22.15	105.0	0.0	4.00	3.20	18.00	--	1.60	-7	34	27
Cylinder	Pipe 2-1/2	28.00	32.60	105.0	0.0	10.00	20.00	--	2.90	--	-27	58	31
Box	Antenna	28.00	38.00	105.0	0.0	38.00	19.30	7.90	--	11.00	-121	312	191
Box	No Parking Sign	7.80	5.95	45.0	0.0	5.00	18.00	1.00	--	12.00	2	-6	-4
Box	Detour Sign	9.00	5.88	165.0	0.0	5.00	36.00	1.00	--	30.00	-5	541	537
Box	Detour Sign	12.00	5.70	105.0	0.0	5.00	36.00	1.00	--	30.00	-2	521	519
Totals:											-359	2,477	2,118

Crossarm	Owner	Height (ft)	Horiz. Offset (in)	Offset Angle (deg)	Rotate Angle (deg)	Unit Weight (lbs)	Unit Height (in)	Unit Depth (in)	Unit Diameter (in)	Unit Length (in)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Normal	CROSSARM 3-1/2 X 4-1/2 X 8	37.50	5.44	195.0	195.0	53.00	4.50	3.50	96.00	0	626	626	626
Totals:											0	626	626

SpanAddition	Owner	Height (ft)	Horiz. Offset (in)	Offset Angle (deg)	Rotate Angle (deg)	Unit Weight (lbs)	Unit Height (in)	Unit Depth (in)	Unit Diameter (in)	Unit Length (in)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Maintenance Loop	Existing	23.62	72.00	15.5	15.5	7.00	20.00	20.00	20.00	20.00	0	32	32
Totals:											0	32	32

Riser	Owner	Height (ft)	Horiz. Offset (in)	Offset Angle (deg)	Rotate Angle (deg)	Unit Weight (lbs)	Unit Height (in)	Unit Depth (in)	Unit Diameter (in)	Unit Length (in)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Riser 235.0° H:33.5	Proposed	33.50	6.09	235.0	235.0	33.50	402.00	2.00	2.00	402.00	-5	588	583
Totals:											-5	588	583

Insulator	Owner	Height (ft)	Horiz. Offset (in)	Offset Angle (deg)	Rotate Angle (deg)	Unit Weight (lbs)	Unit Diameter (in)	Unit Depth (in)	Unit Length (in)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)	
Post	Existing	37.69	-15.00	124.9	0.0	11.00	4.75	6.00	6.00	0	77	77	
Post	Existing	37.69	36.00	276.4	0.0	11.00	4.75	6.00	6.00	0	77	77	
Post	Existing	37.69	-36.00	113.6	0.0	11.00	4.75	6.00	6.00	0	77	77	
Bolt	Proposed	33.50	0.00	285.0	180.0	5.00	3.00	0.00	0.00	0	0	0	
Bolt	Existing	25.40	0.00	285.0	180.0	5.00	3.00	0.00	0.00	0	0	0	
Bolt	Existing	24.10	0.00	285.0	180.0	5.00	3.00	0.00	0.00	0	0	0	
Totals:											0	232	232

Pole Buckling													
Buckling Constant	Buckling Column Height* (ft)	Buckling Section Height (% Buckling Col. Hgt.)	Buckling Section Diameter (in)	Minimum Buckling Diameter at GL (in)	Diameter at Tip (in)	Diameter at GL (in)	Modulus of Elasticity (psi)	Pole Density (pcf)	Ice Density (pcf)	Pole Tip Height (ft)	Buckling Load Capacity at Height (lbs)	Buckling Load Applied at Height (lbs)	Buckling Load Factor of Safety
2.00	24.40	33.67	10.85	7.13	7.32	11.82	2.13e+6	60.00	57.00	38.00	35,393	353.10	7.52



HUDSON
Design Group LLC

March 18, 2020

Nicole O'Brien
Verizon Wireless
118 Flanders Rd, 3Rd Fl.
Westborough, MA 01581

RE: BOS_SOM_032_MA
Pole Unmarked
299 Medford Street
Somerville, MA 02143
Lat: N42.385929
Long: W71.093751

The following letter has been prepared to illustrate that the pole top at this site is more than 15 feet from the nearest structure. HDG has visited the site on March 12, 2020 to confirm the measurement.

Sincerely,
Jose Xavier
Project Executive
Hudson Design Group LLC



45 BEECHWOOD DRIVE
N. ANDOVER, MA 01845

TEL: (978) 537-5553
FAX: (978) 326-5568

CHECKED BY: JX

APPROVED BY: DPH

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	04/20/20	REVISED PER COMMENTS	SF
0	01/20/19	BASE DOWBT	CS

SITE NAME:
BOS SOM 032 MA

SITE ADDRESS:
POLE UNMARKED
289 MEDFORD STREET
SOMERVILLE, MA 02143

SHEET TITLE
TOP OF POLE
ABUTTERS

SHEET NUMBER

SK-1



1
SK-1

TOP OF POLE ABUTTERS
SCALE: N.T.S.

2349657

Form 1

APPLICATION AND POLE ATTACHMENT LICENSE

ANTENNA / NODE LICENSE

Licensee VERIZON WIRELESS
Street Address ONE VERIZON WAY, MAIL STOP 4AW100
City, State and Zip BASKING, RIDGE NEW JERSEY 07920
Date 6/24/19

In accordance with the terms and conditions of the **CONSTRUCTION REQUIREMENTS FOR DISTRIBUTED ANTENNA SYSTEMS (DAS) ON DISTRIBUTION POLES AGREEMENT**, application is hereby made for a license to make 1 Antenna (Node) Attachment to pole and 1 Power Supply and 2 other attachments located in the municipality of Somerville in the State of Massachusetts.

This request will be designated Pole Attachment License Application Number BosSom032MA-524976
Attached are my power supply specifications if applicable. The cable's strand size is 0.5 and weight per foot of cable is 0.2.

Licensee's Name (Print) Barbara Kassabian

Signature Barbara Kassabian

NSTAR d/b/a EVERSOURCE
Power Company

Title _____

Tel. No. _____

Fax No. _____

E-mail _____

*****For licensor use, do not write below this line*****

Pole Attachment License Application Number _____ is hereby granted to make 1 Antenna / Node attachment described in this application to _____ attachments to JO¹ pole, _____ attachment to FO² pole, _____ attachment to JU³ pole, _____ Power Supplies and _____ other attachments located in the municipality of _____, in the State of Massachusetts, as indicated on the attached Form 3.

Licensor's Name (Print) Richard Egan
Signature Richard Egan

(AGREEMENT ID #) _____

Title Supervisor

Date 2/10/2020

Tel. No. _____

The Licensee shall submit an original copy of this application to NSTAR Electric Company d/b/a EVERSOURCE ENERGY.

FIELD SURVEY / MAKE-READY WORK FORM										
SURVEYORS:					DATE OF SURVEY:					
Verizon					CWO #:					
Licensee: Barbara Kassabian					MUNIC: STATE:					
EVERSOURCE					LICENSEE NAME: Verizon Wireless					
					ELCO NAME: EVERSOURCE					
LOCATION	TEL RTE / STREET NAME List one pole per line	POLE #		ATT	OWNERSHIP		CHARGE		WORK DESCRIPTION TASK #S / REMARKS	* Height of Att.
		Tel	EI		J.O.	F.O.	YES	NO		
	299 Medford St (cross street Walnut St) 42.385928/-71.093742	N/A	N/A							
	482 / 18-A									*
										*
										*
										*
										*
										*
										*
										*
										*
										*
										*
TOTALS:										

* Height of Attachment = Height of Licensee Attachment shall be 40' below ELCO MGN unless otherwise noted here by Verizon and EVERSOURCE surveyor.
 Revised 03/06/2015